

Catalogue

2025



With over 20 years experience in the lighting market, LLSA is known for design, quality and service.

We are committed to local manufacturing, ensuring over 70% local content in every product. Using only premium LED technology, our brand is a trusted standard for lighting solutions in diverse sectors, including retail, commercial, rail, automotive, and food display.

We've invested over R15 million in equipment, tooling, and production capacity in the last three years, solidifying our position in the South African lighting industry.

To meet our customers' evolving needs, we're expanding our portfolio to offer integrated Audio Visual, Power Systems, and Automation.

Driven by proactive innovation we've developed platforms that streamline communication and improve delivery speed and customer service.

We invite you to explore our catalogue and partner with us on your next project.

Shawn, Cornel & Team





Downlight Luminaires

Pages 1 - 5



Track and Spot Luminaires

Pages 6-7



Suspended and Surface Luminaires

Pages 8 - 11



Pendant Luminaires

Pages 12 - 14



Recessed Inlay Luminaires

Pages 15 - 16



Striplight Luminaires

Pages 17 - 18



Food Display Luminaires

Pages 19 -20



Highbay and Lowbay Luminaires

Pages 21 -22






Outdoor and Extra Protection Luminaires

Pages 23 - 26



Audio Wireless

Pages 27 - 28



Controls and Automation

Pages 29 - 40





Downlight Luminaires



ETOSHA W 170 R

Recessed 170mm wall washer
downlight with reflector

Colours



More Detail



ETOSHA W 170 L

Recessed 170mm wall washer
downlight with lens

Colours



More Detail



ETOSHA 170 L

Recessed 170mm low glare
downlight with lens

Colours



More Detail





ETOSHA 170 R

Recessed 170mm low glare
downlight with reflector

Colours

More Detail



ETOSHA 210 R

Recessed 210mm low glare
downlight with reflector

Colours

More Detail



ETOSHA 130 L

Recessed 130mm non-tilt
downlight with reflector

Colours

More Detail



ETOSHA 150 R

Recessed 150mm tilt downlight
with reflector

Colours

More Detail



ETOSHA 150 L

Recessed 150mm tilt downlight
with lens

Colours

More Detail



ETOSHA 130 R

Recessed 130mm non-tilt
downlight with reflector

Colours

More Detail





ETOSHA 315 X 160 L

Recessed 315X160mm square double box downlight with lens

Colours

More Detail



ETOSHA 160 X 160 R

Recessed 160mm square double box downlight with reflector

Colours

More Detail



ETOSHA 160 X 160 L

Recessed 160X160mm square double box downlight with reflector

Colours

More Detail



ETOSHA 315 X 160 R

Recessed 315X160mm square double box downlight with reflector

Colours

More Detail



ADD0 70

Recessed 70mm non-tilt low glare downlight with lens

Colours

More Detail



ADD0 85 NTR

Recessed 85mm non-tilt low glare downlight with lens

Colours

More Detail





ADD0 95 T

Recessed 95mm tilt downlight with lens

Colours

More Detail




ADD0 75 T

Recessed 75mm tilt downlight with lens

Colours

More Detail



ADD0 R 90 X 90 SQ

Recessed 90X90mm square low glare downlight with lens

Colours

More Detail



ADD0 90 X 90 SQ

Recessed 90X90mm square downlight with lens

Colours

More Detail



KRUGER 170 D

Recessed 170mm downlight with diffuser

Colours

More Detail



KRUGER 130 D

Recessed 130mm downlight with diffuser

Colours

More Detail





KRUGER 210 D

Recessed 210mm downlight with diffuser

Colours

More Detail



TULI 130 R

Recessed 130mm tiltable spot with reflector

Colours

More Detail



TULI 130 L

Recessed 130mm tiltable spot with lens

Colours

More Detail



BONTEBOK 145 R

Recessed 145mm downlight scoop spot with reflector

Colours

More Detail





Track and Spot Luminaires




MERUR

Track spot 3-phase 60mm wide
with reflector

Colours

More Detail



ORAPA R

Track spot 3-phase 85mm wide
with reflector

Colours

More Detail



ORAPA L

Track spot 3-phase 85mm wide
with lens

Colours

More Detail





KARIBA L

Surface spot 85mm with reflector

Colours

More Detail



KARIBA R

Surface spot 85mm with reflector

Colours

More Detail



SAHARA T

Track linear 3-phase with multiple lens beam angles

Colours

More Detail



CAPRIVI

3 Phase track with 4 wire insulated copper

Colours

More Detail





Suspended and Surface Luminaires




VIRUNGA 50 ETE

Linear 50X75mm end-to-end solution with diffuser

Colours

More Detail



VIRUNGA 50

Linear 50X75mm with diffuser

Colours

More Detail



ZAMBEZI 35 ETE

Linear 35X35mm end-to-end solution with diffuser

Colours

More Detail





ZAMBEZI 35

Linear end-to-end solution with lens and opal wall washer built in

Colours

More Detail



SAHARA ASYMETE

Linear end-to-end solution with lens and opal wall washer built in

Colours

More Detail



SAHARA ETE PRO

Linear circuit selectable works with end-to-end solution with lens

Colours

More Detail




SAHARA ETE

Linear end-to-end solution with lens

Colours

More Detail



SAHARA PRO

Linear end-to-end solution with lens

Colours

More Detail



SAHARA SPOT

Spot 85mm wide works with end-to-end solution with lens

Colours

More Detail






SAHARA

Linear with lens

Colours



More Detail



MASSAI

Linear metal body with round diffuser

Colours



More Detail



MASSAI ETE

Linear metal body end-to-end solution with round diffuser

Colours



More Detail



KAROO ETE

Linear plastic body end-to-end solution with round diffuser

Colours




More Detail



KAROO

Linear plastic body with round diffuser

Colours



More Detail





KALAHARI

Linear metal body with prismatic diffuser

Colours



More Detail



KALAHARI ASYMETE

Linear end-to-end solution with prismatic and opal wall washer built in

Colours



More Detail



KALAHARI ETE

Linear metal body end-to-end solution with prismatic diffuser

Colours



More Detail



NAMIB 80 R

Surface spot 85mm with reflector

Colours



More Detail



NAMIB 80 L

Surface spot 85mm with lens

Colours



More Detail





Pendant Luminaires



SHAMBE

Custom or set shaped pendant,
rounded corners with opal
diffuser

Colours

More Detail



GARAMBA

Custom or set shaped pendant,
square corners with opal diffuser

Colours

More Detail



RADOM

Custom or set square shaped
pendant, rounded corners with opal
diffuser and centre cutout

Colours

More Detail





WONGO

Custom or set round shaped pendant with opal diffuser

Colours

More Detail



MOLE

Custom or set round shaped pendant with opal diffuser and centre cutout

Colours

More Detail



TAZA

Custom or set hexagon pendant with opal diffuser

Colours

More Detail



BAKOSSI

Custom or set hexagon pendant, squared corners with opal diffuser and centre cutout

Colours

More Detail



ABUKO

Custom or set hexagon pendant, rounded corners with opal diffuser and centre cutout

Colours

More Detail



MANDA

Custom or set triangle shaped pendant, rounded corners with opal diffuser and centre cutout

Colours

More Detail





CHAAMBI

Custom or set triangle shaped pendant, squared corners with opal diffuser and centre cutout

Colours



More Detail



CHOBE L

Pendant spot 85mm with lens

Colours



More Detail



CHOBE R

Pendant spot 85mm with reflector

Colours



More Detail



CHOBE O

Pendant spot 85mm with tube shaped diffuser

Colours



More Detail



MAGO

Pendant spot 60mm with reflector

Colours



More Detail



KIBIRA

Custom or set round dome shaped pendant

Colours



More Detail





Recessed Inlay Luminaires



OKAVANGO 300

Recessed inlay panel
1200X300mm

Colours

More Detail



OKAVANGO 1200

Recessed inlay panel
1200X600mm

Colours

More Detail



OKAVANGO 600

Recessed inlay panel
600X600mm

Colours

More Detail





NKASA

TBAR grid solution with block diffuser

Colours



More Detail



NSUMBU

TBAR grid solution with prismatic diffuser

Colours



More Detail



ZAMBEZI 35 R

Recessed 35mm end-to-end solution with diffuser

Colours



More Detail





Striplight Luminaires



MOKALA

Linear rigid led strip in 94mm
- 2076mm options with
asymmetric lens

Colours

More Detail



CAMDEBOO

Linear rigid led strip in 94mm -
2076mm options with opal
diffuser

Colours

More Detail



LUSAKA

Corner round profile rigid led
strip in 94mm - 2158mm options
with opal diffuser

Colours

More Detail





GAMBELA

Corner square profile rigid led strip in 94mm - 2158mm options with opal diffuser

Colours

More Detail



AKANDA

Cost effective linear rigid led strip in 94mm - 2076mm options with opal diffuser

Colours

More Detail



AGULHAS

Linear rigid led strip end-to-end solution with opal diffuser

Colours

More Detail



NAIROBI

Linear rigid led strip end-to-end solution with asymmetric lens

Colours

More Detail



RUMA

Linear rigid led strip in 94mm - 2076mm options with asymmetric lens

Colours

More Detail




GABAL

Flexible outdoor IP66 with side and top bending with opal diffuser

Colours

More Detail





Food Display Luminaires



FOYA

Aluminium linear rigid led strip in 250 - 1800mm options with asymmetric lens

Colours

More Detail



FOGO

Aluminium linear rigid led strip in 250mm - 1800mm options with opal diffuser

Colours

More Detail



OBO

Vertical side and centre with wide 170 degree angle

Colours

More Detail





SERENGETI

Hot case aluminium linear rigid led strip in 116 - 2054mm options with silicon semi clear opal cover

[Colours](#)

[More Detail](#)



FARO

Plastic linear rigid led strip in 568 - 1600mm options with opal diffuser

[Colours](#)

[More Detail](#)





Highbay and Lowbay Luminaires



SAHARA HB

Linear highbay up to 151w with specialist lens options

Colours

More Detail



SAHARA LB

Dual linear highbay up to 300w with specialist lens options

Colours

More Detail



MATOBO

Round highbay IP65 with lens options

Colours

More Detail





KAMUKU

Round highbay IP65 with lens options

Colours

More Detail





Outdoor and Extra Protection Luminaires



MAIKO

Aluminium post top 60 to 120W
with polycarbonate lens with
120-degree beam

Colours

More Detail



KASUNGU

Aluminium street light 30 to
150W with lens with 120 degree
beam

Colours

More Detail



BOMA

Vapour proof IP65 with opal
diffuser

Colours

More Detail





KIBALE

Long surface luminaire beam

Colours

More Detail



KAZUMA

Long surface luminaire beam

Colours

More Detail



KITULO

Long surface luminaire beam

Colours

More Detail



KAKUM

Long surface luminaire beam

Colours

More Detail



NINI

Long surface luminaire beam

Colours

More Detail



KNYSNA

Long recessed outdoor luminaire

Colours

More Detail





MIKUMI

Long structured outdoor poles

Colours



More Detail



KASANKA

Pole structured luminaire

Colours



More Detail




GABAL

Flexible striplight

Colours



More Detail





TSITSIKAMMA SQ

Plastic polycarbonate IP65 square bulk head

Colours

More Detail




TSITSIKAMMA R

Plastic polycarbonate IP65 round bulk head

Colours

More Detail




BALULE R

Aluminium & polycarbonate IP65 round bulk head

Colours

More Detail



BALULE SQ

Aluminium & polycarbonate IP65 square bulk head

Colours

More Detail



KAROO IP

Premium linear co-moulded plastic extruded IP65 with opal diffuser

Colours

More Detail





Audio Wireless



NGOMZA

The Ngomza pendant speaker is designed to be pendant mounted

Colours

More Detail



GUMZO

The Gumzo is designed to be used in all commercially available 3-phase lighting tracks.

Colours

More Detail



CHEZA

The recessed built-in loudspeaker Cheza fits into plastered and or ceiling systems

Colours

More Detail





TOKOTOKO

Wireless 3 phase track mounted sub-woofer audio speaker

Colours

More Detail



MPAPURO

Wireless surface or floor standing sub-woofer audio speaker

Colours

More Detail



SMART STREAMER

Network audio player and transmits the audio signal to one or more SMARTplayers via an existing network infrastructure.

Colours

More Detail



SMART CONNECT

Integration of all commercially available amplifier systems or active speakers into the SMART audio system, as well as the integration of passive speakers.

Colours

More Detail



SMART PLAYER

Creates the wireless connection from the audio source to the NewTec SMART loudspeakers.

Colours

More Detail





Retail Automation - Lumalytic



WIRELESS 1PM WITH ADD-ON DEVICES

Wi-Fi-operated smart switch, with power monitoring, for remote control of a wide range of home appliances and office equipment

More Detail



RELAY CONTROLLER DEVICE – 4 CHANNEL

Professional 4-channel DIN rail smart switch with power metering, supporting up to 16A per channel. Control and monitor the consumption for each channel separately.

More Detail



AIR CONDITIONER CONTROL DEVICE

The Universal Infrared (IR)-Modbus RTU device allows complete and natural integration of any air conditioner unit equipped with an infrared receiver into Modbus RTU systems.

More Detail





LIGHTING DIMMER

DIN-rail mountable, smart dimmer with power monitoring. Use it to control dim, and power measure a wide range of halogen lights, dimmable LED and ferromagnetic transformers (110-240V).

More Detail



description		
Description	Target	Colour
1st	Boardroom display lights	Blue
2nd	Boardroom display lights	Blue
3rd	Boardroom display lights	Green
All Boardroom lights on	Boardroom display lights	Green
All showroom lights off	Showroom lights	Black
All showroom lights on	Showroom lights	Green
Compressor	Equipment	Blue

FLEET PLATFORM

Fleet manager is a standalone software for controlling and monitoring new generations of Shelly devices.

More Detail



MEDIA PLAYER DEVICE

Multimedia player widely used in advertising, digital signage, and other commercial applications.

More Detail





Commercial Automation - DALI



950 DALI 2 MULTI MASTER

Vast scalability for your projects with 4 DALI-2 multi-master networks.

[More Detail](#)



920 APPLICATION CONTROLLER

DMX IN/OUT and SDIM networks as well as 2 single-master DALI-2 networks.

[More Detail](#)



910 APPLICATION CONTROLLER

2 Single master networks offer great flexibility for control of both DALI and DALI-2 lighting control gear

[More Detail](#)





5641 ACTIVEAHEAD NODE MULTISENSOR HIGH BAY

High bay area sensor with radio for the wireless Helvar active ahead solution.

[More Detail](#)



5640 ACTIVEAHEAD NODE MULTISENSOR

Area sensor with radio for the wireless Helvar Active Ahead solution.

[More Detail](#)



331 MULTISENSOR FOR ROOMSET

Compact multisensor for use in Helvar's RoomSet solution. RoomSet firmware allows for easy tablet-based configuration.

[More Detail](#)



492 16 A POWER RELAY UNIT

Single-channel relay unit that allows control of non-DALI and non-dimmable loads.

[More Detail](#)



5609 ACTIVEAHEAD NODE ADVANCED

Connects DALI luminaires and system sensors to the Helvar Active Ahead wireless lighting control solution.

[More Detail](#)



185W WIRELESS CONTROL PANEL

Wireless, battery-less, bluetooth® low energy control panels with four configurable button functions

[More Detail](#)





Commercial Automation - Wireless Products



BLU2LIGHT BLUETOOTH RELAY

Combined light and motion detection, self-calibrating CO2 measurement and measurement of temperature and humidity

[More Detail](#)



BLU2LIGHT WIRELESS SWITCH

Combined light and motion detection, self-calibrating CO2 measurement and measurement of temperature and humidity

[More Detail](#)



BLU2LIGHT MULTISENSOR-AIR

Combined light and motion detection, self-calibrating CO2 measurement and measurement of temperature and humidity

[More Detail](#)





BLU2LIGHT MULTISENSOR XXL

Combined light and motion detection for a mounting height of up to 12 m, direct supply via DALI bus, no mains voltage connection necessary

[More Detail](#)



BLU2LIGHT MULTISENSOR XS

Combined light and motion detection for a mounting height of up to 4 m, direct supply via DALI bus, no mains voltage connection necessary

[More Detail](#)



BLU2LIGHT MULTISENSOR XL

Combined light and motion detection, self-calibrating CO2 measurement and measurement of temperature and humidity

[More Detail](#)



BLU2LIGHT LAN GATEWAY

LAN Gateway can be used to monitor the Blu2Light system via a web interface.

[More Detail](#)



BLU2LIGHT CONNECT PB4

Enables manual operation of a Blu2Light system via up to 2 or 4 standard buttons.

[More Detail](#)



BLU2LIGHT CONNECT ME

Very small casing for easy integration into a luminaire, direct supply via DALI bus, no mains voltage connection necessary, integrated bluetooth mesh radio module

[More Detail](#)





BLU2LIGHT CONNECT DMX

DMX interface, ideal for stage or architectural lighting, controllable via Blu2Light

[More Detail](#)





Standalone Control - DALI



13XXD2 MODULAR PANEL

Modular design with high quality tactile buttons with LED status indicators per button.

More Detail



444 MINI INPUT UNIT

Allows for third-party, volt-free input integration with a Helvar lighting control system for devices such as switches, alarms and time clocks.

More Detail



407 COMPACT DA POWER SUPPLY

Ultra-compact power supply that provides up to 64 mA current to a Helvar DALI system.

More Detail





331 MULTISENSOR FOR ROOMSET

Compact multisensor for use in Helvar's RoomSet solution. RoomSet firmware allows for easy tablet-based configuration.

[More Detail](#)



DALI XC G3 CFI 30 PBI3 DA2

DALI-2 push buttons input device

[More Detail](#)



BASICDIM DGC SENSOR 5DPI 14RC

Light measurement and motion detection, can be remote controlled

[More Detail](#)





Standalone Control - Wireless



185W WIRELESS CONTROL PANEL

Wireless, battery-less, bluetooth® low energy control panels with four configurable button functions

[More Detail](#)



407 COMPACT DA POWER SUPPLY

Ultra-compact power supply that provides up to 64 mA current to a Helvar DALI system

[More Detail](#)



331 MULTISENSOR FOR ROOMSET

Compact multisensor for use in Helvar's RoomSet solution. RoomSet firmware allows for easy tablet-based configuration.

[More Detail](#)






**BASICDIM WIRELESS
UI ENOCEAN**

Wireless and battery free single
or double rocker.

More Detail



**BASICDIM WIRELESS
USER INTERFACE**

Wireless 4 scene controller

More Detail



**BASICDIM DGC
SENSOR 5DPI 14RC**

Light measurement and motion
detection wireless.

More Detail





Standalone Automated Lights



KAROO PRO

Premium linear co-moulded plastic extruded IP65 with opal diffuser with integrated sensors

Colours



More Detail





Contact Us

T: 021 510 0028 (National Switchboard)

IM: 064 671 5738 (Whatsapp Business)

E: sales@ledlighting.co.za

W: www.ledlighting.co.za

